Message

From: Burns, Francis [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=B56BC6B1D7BB4909B950D38B68993EFF-FBURNS]

Sent: 10/22/2017 4:44:14 PM

To: Lindsey, Deborah [/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=ce46a259227a40bf8f8dae58f8284cd1-Lindsey, Deborah]

Subject: RE: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire

Thanks

From: Lindsey, Deborah

Sent: Sunday, October 22, 2017 12:43 PM **To:** Burns, Francis <Burns.Fran@epa.gov>

Subject: Fwd: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire

Email from ATSDR on air quality standards

Sent from my iPhone

Begin forwarded message:

From: "Edge, Charles (ATSDR/DTHHS/OD)" < ibd7@cdc.gov>

Date: October 21, 2017 at 9:42:34 PM EDT

To: "Werner, Lora S. (CDC epa.gov)" < werner.lora@epa.gov >

Cc: "Lindsey, Deborah" < <u>Lindsey Deborah@epa.gov</u>>

Subject: Re: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire

I will see what additional info I have. Headed home for computer access now.

Charles

Sent from my iPhone

On Oct 21, 2017, at 9:40 PM, Werner, Lora S. (CDC epa.gov) < werner.lora@epa.gov > wrote:

Great Deb. Sounds good, we will standby for anything further you might need. Good to know rough schedule. Lora

Sent from my iPhone

On Oct 21, 2017, at 9:37 PM, Lindsey, Deborah < <u>Lindsey.Deborah@epa.gov</u>> wrote:

Lora – thanks. I will take a look at the tables. I will let you know if we have any questions. I don't expect any questions until we see some of the data which probably won't be until morning. START is mobing now and should be on-site shortly. We did not get any NRC notification until around 5:00 this evening and I have been focusing getting START out on the road.

Thanks for the quick response. If you google Ames Plant fire in Parkersburg – there are many Youtubes showing the fire.

Debbie Lindsey

USEPA Region 3 Wheeling Field Office 1060 Chapline Street Wheeling, WV 26003 (304) 234-0249 (304) 281-2569 (cell)

From: Werner, Lora

Sent: Saturday, October 21, 2017 9:31 PM

To: Lindsey, Deborah < <u>Lindsey.Deborah@epa.gov</u>> **Cc:** Charles Edge < <u>ibd7@cdc.gov</u>>; Lloyd, Christine

<<u>Lloyd.Christine@epa.gov</u>>; Pomales, Ana <<u>Pomales.ana@epa.gov</u>>; Helverson, Robert <<u>Helverson.Robert@epa.gov</u>>; Karl Markiewicz

<kvm4@cdc.gov>

Subject: Re: Yellow email, 1710EPA1318, West Virginia, Parkersburgh,

Ames plant fire

Thanks, Deb.

I spoke directly to Charles Edge, who is the ATSDR ER Duty Officer this week. I am sorry you got that confusing response when you called the CDC 24 hour number.

Charles said ATSDR uses the EPA NAAQS Air Quality Index (AQI) guidelines for hazardous levels of PM in air in this kind of situation - see the attached AQI table. This is also part of the 2016 NRT presentation on "Air Quality Monitoring at Structural Fires"

at https://www.nrt.org/sites/40/files/Air%20Quality%20Monitoring%20at%20Structural%20Fires%20RRT2%204%2013%2016.pdf

Let me know if you want to discuss or if you have other questions as this goes on.

I need to pick up my daughter from the homecoming dance over the next 1/2 hour or so but I will have my cell with me. Charles is also watching email and can be reached at his mobile at 404-234-4471.

Lora

.....

From: Lindsey, Deborah


Sent: Saturday, October 21, 2017 9:12 PM

To: Werner, Lora

Subject: FW: Yellow email, 1710EPA1318, West Virginia, Parkersburgh,

Ames plant fire

Image is a picture of list of chemicals



Jim Mehl

Begin forwarded message:

From: EPA ERFAX ER <erfax.er@epa.ohio.gov>

Date: October 21, 2017 at 14:20:04

EDT

To: "Wolfe, Aaron"

<<u>Aaron.Wolfe@epa.ohio.gov</u>>,

"Tucker, Holly"

< Holly. Tucker@epa.ohio.gov >,

"Witherspoon, Melisa"

<Melisa.Witherspoon@epa.ohio.gov

>, "Deshaies, Marco"

<marco.deshaies@epa.ohio.gov>,

"Kuenzli, Jessica"

<Jessica.Kuenzli@epa.ohio.gov>,

EPA ERFAX ER

<erfax.er@epa.ohio.gov>,

"Anderson, Todd"

<todd.anderson@epa.ohio.gov>,

"Billman-Kotsko, Jodi" < Jodi. Billman-

Kotsko@epa.ohio.gov>, "Butler,

Craig" < Craig. Butler@epa.ohio.gov>,

DPS EMAWatch

<EMAWatch@dps.ohio.gov>,

"Eberle, Michael"

<Michael.Eberle@epa.ohio.gov>,

EPA ERFAX ER

<erfax.er@epa.ohio.gov>, "Factor,

Laura"

<<u>Laura.Factor@epa.ohio.gov</u>>,

"Glasgow, Marcus"

<marcus.glasgow@epa.ohio.gov>,

"Gortner, Ed"

<ed.gortner@epa.ohio.gov>,

"Griesmer, Heidi"

<Heidi.Griesmer@epa.ohio.gov>,

"Mehl, James"

<James.Mehl@epa.ohio.gov>,

"Enderle, Mardi"

<mardi.enderle@epa.ohio.gov>

Subject: Yellow email,

1710EPA1318, West Virginia, Parkersburgh, Ames plant fire

Duty Officer Taylor

Ohio Environmental Protection Agency

Division of Environmental Response, Investigation and Enforcement

24 Hour Hotline 800-282-9378

.....

From: Wolfe, Aaron

SUBJECT: Intercontinental Export and Import Company - Plant #1 Fire Parkersburg WV.

At 1230 AM this morning Parkersburg fire crews responded to a fire at the Intercontinental Export and Import Company - Plant #1 on Camden Avenue in Parkersburg WV. The facility is a warehouse housing many plastics related materials. Attached you will find a list of items thought to be in the warehouse. The fire is still ongoing. No shelter in place order has been implemented at this time in Parkersburg, Wv. OSC Wolfe is in contact with on-scene WVDEP representatives, Ohio EMA, and has notified ORSANCO and will continue to report with updates. Firefighting water is expected to enter the Oho River. WVDEP is setting up air monitoring equipment. Currently given the wind direction WVDEP does not feel any Ohio Counties are threatened by the fire.

OSC Wolfe will continue to monitor the situation and provide updates every two hours or if additional information is provided from the scene.



Did You Know: Chil parents who talk to the about drugs are up to 50% less likely the conversation: StartTalking.Ohio.Go

This email is intended for the sole use of the intended recipient and may contain privileged, sensitive or protected information. If you are not the intended that the unauthorized use, disclosure, copying, distribution, or action taken in reliance on the contents of this communication is prohibited. If you have recervor, please notify the sender via telephone or return email and immediately delete this email.